

2 hour fire wall construction

2 hour fire wall construction is a critical component in building safety and fire protection engineering. This type of firewall is designed to resist fire for at least two hours, providing essential time for occupant evacuation and fire department response. The construction of a 2 hour fire wall involves specific materials, design criteria, and building codes to ensure its effectiveness. Understanding these elements is crucial for architects, contractors, and safety inspectors aiming to comply with fire safety regulations. This article explores the definition, required materials, construction techniques, and code compliance for 2 hour fire walls. Additionally, it discusses common applications and maintenance considerations for these fire-resistant assemblies. The following sections will guide readers through the comprehensive aspects of 2 hour fire wall construction.

- Understanding 2 Hour Fire Wall Construction
- Materials Used in 2 Hour Fire Walls
- Construction Techniques and Best Practices
- Building Codes and Regulatory Compliance
- Applications of 2 Hour Fire Walls
- Maintenance and Inspection of Fire Walls

Understanding 2 Hour Fire Wall Construction

A 2 hour fire wall is a fire-resistance-rated wall assembly that can withstand fire exposure for a minimum of two hours. This rating is tested according to standardized methods such as ASTM E119 or UL 263. The primary function of a 2 hour fire wall is to prevent the spread of fire and smoke between different compartments or sections of a building, thereby enhancing occupant safety and minimizing property damage.

Fire Resistance Ratings Explained

Fire resistance ratings measure how long a fire barrier can maintain structural integrity and limit heat transfer during a fire. A 2 hour rating means the wall has been certified to resist fire for 120 minutes under controlled test conditions. This rating considers factors such as the wall's ability to withstand flame penetration, structural collapse, and temperature rise on the unexposed side.

Importance of 2 Hour Fire Walls

Installing 2 hour fire walls is essential in buildings where fire compartmentalization is required. These walls slow down fire progression, enabling safe evacuation and reducing the risk of fire spreading to adjacent areas. They also protect vital infrastructure and can help contain hazardous materials or equipment, making them indispensable in commercial, industrial, and residential settings.

Materials Used in 2 Hour Fire Walls

The selection of materials for 2 hour fire wall construction is critical to achieving the necessary fire resistance. Materials must be non-combustible or have fire retardant properties and comply with fire rating standards.

Common Fire-Resistant Materials

- **Gypsum Board:** Type X or Type C gypsum boards are often used due to their fire-resistant cores containing glass fibers and other additives.
- **Concrete and Masonry:** Concrete blocks, poured concrete, and bricks provide excellent fire resistance and structural strength.
- **Steel Studs:** Steel framing components are preferred over wood where fire resistance is required, as steel does not combust and maintains integrity under heat.
- **Fireproof Insulation:** Mineral wool or fiberglass insulation is used to enhance fire resistance and thermal performance within wall cavities.
- **Fire-Resistant Sealants and Caulks:** These materials prevent the passage of smoke and fire through joints and penetrations within the wall assembly.

Material Performance Criteria

Each material used in a 2 hour fire wall must meet performance criteria such as non-combustibility, thermal barrier properties, and durability under fire exposure. The combination of these materials creates a composite system that achieves the 2 hour rating.

Construction Techniques and Best Practices

Proper construction techniques are vital to ensure the fire wall performs as intended during a fire event. Installation must follow manufacturer instructions and tested assembly designs.

Wall Assembly Installation

Constructing a 2 hour fire wall typically involves layering fire-resistant materials in a tested configuration. Key practices include:

- Using steel studs spaced according to design specifications.
- Installing two or more layers of Type X gypsum board on each side of the framing.
- Ensuring continuous fireproof insulation fills the cavity without gaps.
- Applying fire-resistant sealants at joints, seams, and penetrations.
- Securing fasteners properly to maintain wall integrity under heat.

Penetrations and Openings

Any openings for electrical conduits, plumbing, or HVAC systems must be properly sealed with firestop systems rated for 2 hour fire resistance. Failure to do so can compromise the wall's overall rating and allow fire and smoke to pass through.

Quality Control Measures

Inspections during and after construction help verify compliance with fire resistance standards. Using certified materials and trained installers reduces the risk of defects and ensures the wall meets the required performance criteria.

Building Codes and Regulatory Compliance

Compliance with local, state, and national building codes is mandatory for 2 hour fire wall construction. These codes define the requirements for fire-resistance ratings, materials, and installation practices.

Relevant Codes and Standards

The most commonly referenced standards for fire wall construction include:

- International Building Code (IBC)
- National Fire Protection Association (NFPA) standards, such as NFPA 221 for fire walls and fire barrier walls
- ASTM E119 Standard Test Methods for Fire Tests of Building Construction and Materials
- Underwriters Laboratories (UL) fire-resistance assembly listings

Permit and Inspection Processes

Before constructing a 2 hour fire wall, building permits must be obtained. Inspections are conducted at various stages to ensure compliance with approved plans and codes. Non-compliance can result in costly delays and remedial work.

Documentation and Certification

Maintaining proper documentation such as product certifications, test reports, and installation records is essential for code compliance and future inspections. These records demonstrate that the fire wall assembly is installed per the approved design and regulatory requirements.

Applications of 2 Hour Fire Walls

2 hour fire walls are utilized in a variety of building types and scenarios where fire compartmentalization is crucial.

Commercial Buildings

Office buildings, retail centers, and warehouses often require 2 hour fire walls to separate tenant spaces, protect loading docks, or divide storage areas containing flammable materials.

Residential Complexes

Multi-family housing and apartment buildings use 2 hour fire walls to separate dwelling units and prevent fire spread between floors or sections.

Industrial Facilities

Manufacturing plants and chemical processing facilities install 2 hour fire walls to isolate hazardous processes, protect equipment, and safeguard personnel.

Specialized Applications

Hospitals, schools, and high-rise buildings incorporate 2 hour fire walls to enhance overall fire safety and comply with stringent fire protection requirements.

Maintenance and Inspection of Fire Walls

Long-term performance of 2 hour fire walls depends on regular maintenance and inspection to identify and repair damage or deterioration.

Routine Inspection Procedures

Inspections should include checking for cracks, holes, or breaches in the wall assembly, verifying the condition of firestopping around penetrations, and ensuring no unauthorized modifications have been made.

Repair and Retrofitting

If damage is detected, repairs must be carried out using approved fire-resistant materials and methods. Retrofitting may involve adding additional layers of fire-resistant board or upgrading firestop systems to maintain the required rating.

Record Keeping and Compliance

Maintaining detailed records of inspections, repairs, and modifications supports ongoing compliance with fire safety regulations and helps in emergency response planning.

Frequently Asked Questions

What is a 2 hour fire wall in construction?

A 2 hour fire wall is a wall designed and constructed to resist the passage of fire for at least two hours, providing a critical barrier to slow the

spread of fire between different sections of a building.

What materials are commonly used for 2 hour fire wall construction?

Materials commonly used include fire-rated gypsum board, concrete blocks, brick masonry, and fire-resistant insulation. These materials are selected for their ability to withstand high temperatures and maintain structural integrity for two hours.

How is the 2 hour fire resistance rating tested?

Fire resistance ratings are tested by exposing wall assemblies to standardized fire exposure in a laboratory furnace per ASTM E119 or UL 263 standards, measuring the time it takes for the wall to fail in terms of structural integrity, temperature rise, and flame penetration.

What building codes regulate 2 hour fire wall construction?

Building codes such as the International Building Code (IBC) and National Fire Protection Association (NFPA) standards specify requirements for fire-resistance-rated walls, including 2 hour fire walls, to ensure safety and compliance.

Can a 2 hour fire wall include openings like doors or windows?

Openings in 2 hour fire walls must be protected with fire-rated doors or windows that have an equivalent 2 hour fire-resistance rating to maintain the wall's overall fire protection performance.

What are the key design considerations for constructing a 2 hour fire wall?

Key considerations include using approved fire-resistant materials, ensuring proper thickness, sealing penetrations and joints, and following manufacturer and code requirements to achieve the desired fire resistance.

How does a 2 hour fire wall contribute to building safety?

A 2 hour fire wall slows the spread of fire and smoke, providing occupants more time to evacuate and allowing firefighters to control the fire, ultimately reducing property damage and saving lives.

Additional Resources

1. *Mastering the 2-Hour Firewall: Construction Techniques and Materials*

This comprehensive guide covers the essential materials and methods required to build a 2-hour fire-rated firewall. It details the selection of fire-resistant components, installation best practices, and compliance with building codes. Perfect for contractors and architects aiming to enhance fire safety in their projects.

2. *Fire-Resistant Walls: Designing and Constructing 2-Hour Firewalls*

Focused on the design principles behind 2-hour firewalls, this book explores various construction assemblies that achieve this fire rating. It includes case studies, drawings, and step-by-step instructions to ensure effective fire barrier performance. An invaluable resource for engineers and construction professionals.

3. *Building Code Compliance for 2-Hour Firewalls*

This title delves into the regulatory aspects of constructing 2-hour firewalls, explaining how to interpret and apply building codes and standards. It offers guidance on inspections, documentation, and common pitfalls to avoid. Ideal for code officials, builders, and inspectors.

4. *Fireproofing Basics: Constructing 2-Hour Firewalls with Confidence*

A beginner-friendly introduction to fireproofing techniques, this book emphasizes practical construction methods for achieving a 2-hour fire rating. It covers material properties, installation tips, and quality assurance measures. Suitable for apprentices and small-scale contractors.

5. *Advanced Fire Barrier Systems: Innovations in 2-Hour Firewall Construction*

Highlighting the latest technologies and materials in fire barrier construction, this book discusses innovative solutions for 2-hour firewalls. It reviews new fire-resistant products, installation advancements, and sustainability considerations. A forward-looking resource for industry professionals.

6. *2-Hour Firewalls in Commercial Construction*

Specifically tailored for commercial building projects, this book addresses the unique challenges and requirements of 2-hour firewall construction in large-scale developments. It includes project management advice, cost analysis, and coordination strategies. Useful for project managers and commercial contractors.

7. *Practical Guide to Fire-Resistant Drywall Assemblies for 2-Hour Firewalls*

This detailed manual focuses on drywall assemblies that meet the 2-hour fire rating. It provides specifications, installation details, and troubleshooting tips to ensure compliance and performance. Essential for drywall installers and finishing contractors.

8. *2-Hour Firewall Construction: Safety and Structural Integrity*

This book emphasizes the balance between fire resistance and structural soundness in firewall construction. It explores load-bearing considerations,

reinforcement techniques, and safety protocols during construction. A critical read for structural engineers and safety officers.

9. *Inspection and Maintenance of 2-Hour Firewalls*

Covering the post-construction phase, this book outlines procedures for inspecting, maintaining, and repairing 2-hour firewalls to ensure ongoing effectiveness. It discusses common issues, documentation practices, and compliance checks. Perfect for facility managers and maintenance personnel.

2 Hour Fire Wall Construction

Find other PDF articles:

<https://generateblocks.ibenic.com/archive-library-102/Book?trackid=uwM18-3622&title=become-a-substitute-teacher-nj.pdf>

2 hour fire wall construction: *Simplified Design for Building Fire Safety* James Patterson, 1993-12-16 Organized into three sections, it begins with the phenomena of fire followed by the principles of design by which one develops a defense against fire disaster in buildings. Lastly, it deals with the hardware of fire control, communication and extinguishment. A thorough analysis of building code criteria regarding fire safety is included. Each chapter features study aids along with questions and answers.

2 hour fire wall construction: Fire-resistance Classifications of Building Constructions United States. Central Housing Committee on Research, Design, and Construction. Subcommittee on Fire-Resistance Classifications, 1942

2 hour fire wall construction: **The Professional Practice of Architectural Detailing** Osamu A. Wakita, Richard M. Linde, 1999 A thorough knowledge of the hows and whys of building assemblies is a prerequisite to effective architectural design. Architectural detailing - creating drawings that accurately describe particular assemblies within a design - is essential to controlling the total building process. This book provides students with a solid grounding in building assemblies, followed by step-by-step guidance on how to develop effective professional architectural details which are essential to becoming a skilled architectural detailer. More than 1,000 expertly-crafted design details (including over 400 new CAD-drawn 3-D images, details, and photographs) help illustrate the concepts presented while establishing a high level of detailing excellence to which students will aspire.

2 hour fire wall construction: Design Guide to the 1997 Uniform Building Code Richard T. Conrad, Steven R. Winkel, 1998-09-07 The Uniform Building Code (UBC), updated every three years, is the most widely used model building code in the United States. This book is a guide to understanding and implementing the new 1997 UBC, with particular emphasis to changes that have been adopted since the 1994 UBC guidelines.

2 hour fire wall construction: Building Codes Illustrated Francis D. K. Ching, Frank Ching, Steven R. Winkel, 2007 A guide to understanding the International Building Code that uses detailed diagrams to explain the criteria for code development and the reasons for code provisions.

2 hour fire wall construction: The Architect's Studio Companion Edward Allen, Joseph Iano, 2006-11-28 The architect's favorite handbook-more informative and easier to use than ever! The Architect's Studio Companion is the laborsaving design resource that architects and builders have relied on for years. Now in its fourth edition, this industry standard continues its reputation as a

reliable tool for the preliminary selecting, configuring, and sizing of the structural, mechanical, and egress systems of a building. Bestselling authors Edward Allen and Joseph Iano reduce complex engineering and building code information to simple approximations that enable the designer to lay out the fundamental systems of a building in a matter of minutes and get on with the design. Now in a flex binding that makes it even easier to use, *The Architect's Studio Companion, Fourth Edition* provides quick access to reliable rules of thumb that offer vital help for selecting, configuring, and sizing: * Structural systems * Heating, cooling, and electrical systems * Egress provisions, including exit stairways, parking garages, and parking lots * Daylight provisions The book concludes with precalculated tables of building code height and area limitations.

2 hour fire wall construction: *Building Type Basics for Office Buildings* A. Eugene Kohn, Paul Katz, 2002-07-29 *Building Type Basics* books provide architects with the essentials they need to jump-start the design of a variety of specialized facilities. In each volume, leading national figures in the field address the key questions that shape the early phases of a project commission. The answers to these questions provide instant information in a convenient, easy-to-follow format. The result is an excellent, hands-on reference that puts critical information at your fingertips.

2 hour fire wall construction: *Building Materials and Structures Report* , 1940

2 hour fire wall construction: *Commentary on the Prescriptive Method for Residential Cold-formed Steel Framing* , 1997

2 hour fire wall construction: *Building Codes Illustrated for Elementary and Secondary Schools* Steven R. Winkel, David S. Collins, FAIA, Steven P. Juroszek, 2007-04-13 Now more than ever, architects need an interpretive guide to understand how the building code affects the early design of specific projects. This easy-to-use, illustrative guide is part of a new series covering building codes based on the International Building Code for 2006. This book presents the complex code issues inherent to elementary and secondary school design in a clear, easily understandable format.

2 hour fire wall construction: *Building and Housing* , 1931

2 hour fire wall construction: *Design Manual* , 1971

2 hour fire wall construction: *Feedback: A compendium of building concepts* United States. Department of Housing and Urban Development, 1973

2 hour fire wall construction: *Building Codes Illustrated for Healthcare Facilities* Steven R. Winkel, David S. Collins, Steven P. Juroszek, Francis D. K. Ching, 2007-04-13 Now more than ever, architects need an interpretive guide to understand how the building code affects the early design of specific projects. This easy-to-use, illustrative guide is part of a new series covering building codes based on the International Building Code for 2006. This book presents the complex code issues inherent to healthcare facility design in a clear, easily understandable format.

2 hour fire wall construction: *A Visual Dictionary of Architecture* Francis D. K. Ching, 2011-12-30 The classic, bestselling reference on architecture now revised and expanded! An essential one-volume reference of architectural topics using Francis D.K. Ching's signature presentation. It is the only dictionary that provides concise, accurate definitions illustrated with finely detailed, hand-rendered drawings. From Arch to Wood, every concept, technology, material and detail important to architects and designers are presented in Ching's unique style. Combining text and drawing, each term is given a minimum double-page spread on large format trim size, so that the term can be comprehensively explored, graphically showing relations between concepts and sub-terms A comprehensive index permits the reader to locate any important word in the text. This long-awaited revision brings the latest concepts and technology of 21st century architecture, design and construction to this classic reference work It is sure to be by the side of and used by any serious architect or designer, students of architecture, interior designers, and those in construction.

2 hour fire wall construction: *Construction Drawings and Details for Interiors* Rosemary Kilmer, W. Otie Kilmer, 2011-09-13 *Construction Drawings and Details for Interiors* serves as the essential reference for designers preparing interior construction documents, explaining how to do a new construction, remodeling, or installation project. In a highly visual format, the book covers

2 - 2 21. **

231 - 2312147483648xnxn

meaning - Difference between 二 and 两? - Chinese Language 2. In ordinal, decimal numbers and fractional numbers, uses "二" but not "两". 3. When used with normal counter word, for single digit number, uses "二" but not "两". For

Gemini flash 2.5 - gemini 2.0 flash: Gemini 2.5 Flash agent id

USB 3.2 gen1 3.2 gen2 3.2 gen2*2 a 3.2gen1 3.2gen2 3.0 3.1gen1 3.2gen1 a 3.2gen2 ss10 ss+usb

2 - Anomalous Coffee Machine 2 v0.1.0.1

_ 2. /gamemode creative

AirPods 4 Pro 2 AirPods 4 Pro 2 AirPods Pro 2 AirPods Pro 2 AirPods 4 AirPods 4

HDMI HDMI 2.0 2.1 ? HDMI HDMI 2.0 HDMI 2.1 HDMI 2.1 HDMI Licensing, LLC HDMI

2 ? - 1525 2 3 (1596

2 - 2 21. **

231 - 2312147483648xnxn

meaning - Difference between 二 and 两? - Chinese Language 2. In ordinal, decimal numbers and fractional numbers, uses "二" but not "两". 3. When used with normal counter word, for single digit number, uses "二" but not "两". For

Gemini flash 2.5 - gemini 2.0 flash: Gemini 2.5 Flash agent id

USB 3.2 gen1 3.2 gen2 3.2 gen2*2 a 3.2gen1 3.2gen2 3.0 3.1gen1 3.2gen1 a 3.2gen2 ss10 ss+usb

2 - Anomalous Coffee Machine 2 v0.1.0.1

_ 2. /gamemode creative

AirPods 4 Pro 2 AirPods 4 Pro 2 AirPods Pro 2 AirPods Pro 2 AirPods 4 AirPods 4

HDMI HDMI 2.0 2.1 ? HDMI HDMI 2.0 HDMI 2.1 HDMI 2.1 HDMI Licensing, LLC HDMI

2 ? - 1525 2 3 (1596

2 - 2 21. **

231 - 2312147483648xnxn

meaning - Difference between 二 and 两? - Chinese Language 2. In ordinal, decimal numbers and fractional numbers, uses "二" but not "两". 3. When used with normal counter word, for single digit number, uses "二" but not "两". For

Gemini flash 2.5 - gemini 2.0 flash: Gemini 2.5 Flash agent id

USB3.2 gen13.2 gen23.2 gen2*2 a 3.2gen1 3.2gen23.03.1gen1
3.2gen1a3.2gen2ss10ss+usb
2 - 2 Anomalous Coffee Machine 2
v0.1.0.1
_ 2. /gamemode creative

AirPods 4Pro 2AirPods 4Pro 2 AirPods Pro 2 AirPods Pro 2
AirPods 4 AirPods 4

HDMI HDMI 2.02.1 ? HDMI HDMI 2.0 HDMI 2.1 HDMI 2.1
HDMI HDMI Licensing, LLC HDMI

2? - 152523
(1596

2 - 2 21. **

231 - 2312147483648
xn

meaning - Difference between and ? - Chinese Language 2. In ordinal, decimal numbers and fractional numbers, uses " " but not " ". 3. When used with normal counter word, for single digit number, uses " " but not " ". For

Gemini flash 2.5 - gemini 2.0 flash: agent ide

USB3.2 gen13.2 gen23.2 gen2*2 a 3.2gen1 3.2gen23.03.1gen1
3.2gen1a3.2gen2ss10ss+usb

2 - 2 Anomalous Coffee Machine 2
v0.1.0.1

_ 2. /gamemode creative

AirPods 4Pro 2AirPods 4Pro 2 AirPods Pro 2 AirPods Pro 2
AirPods 4 AirPods 4

HDMI HDMI 2.02.1 ? HDMI HDMI 2.0 HDMI 2.1 HDMI 2.1
HDMI HDMI Licensing, LLC HDMI

2? - 152523
(1596

2 - 2 21. **

231 - 2312147483648
xn

meaning - Difference between and ? - Chinese Language 2. In ordinal, decimal numbers and fractional numbers, uses " " but not " ". 3. When used with normal counter word, for single digit number, uses " " but not " ". For

Gemini flash 2.5 - gemini 2.0 flash: agent ide

USB3.2 gen13.2 gen23.2 gen2*2 a 3.2gen1 3.2gen23.03.1gen1
3.2gen1a3.2gen2ss10ss+usb

2 - 2 Anomalous Coffee Machine 2
v0.1.0.1

_ 2. /gamemode creative

AirPods 4Pro 2AirPods 4Pro 2 AirPods Pro 2 AirPods Pro 2
AirPods 4 AirPods 4

HDMI HDMI 2.02.1 ? HDMI HDMI 2.0 HDMI 2.1 HDMI 2.1

1. HDMI Licensing, LLC
 2. 1525
 3. 203
 4. 1596
 5. 2
 6. 1
 7. 2
 8. 2
 9. 2
 10. 2
 11. 2
 12. 2
 13. 2
 14. 2
 15. 2
 16. 2
 17. 2
 18. 2
 19. 2
 20. 2
 21. 2
 22. 2
 23. 2
 24. 2
 25. 2
 26. 2
 27. 2
 28. 2
 29. 2
 30. 2
 31. 2
 32. 2
 33. 2
 34. 2
 35. 2
 36. 2
 37. 2
 38. 2
 39. 2
 40. 2
 41. 2
 42. 2
 43. 2
 44. 2
 45. 2
 46. 2
 47. 2
 48. 2
 49. 2
 50. 2
 51. 2
 52. 2
 53. 2
 54. 2
 55. 2
 56. 2
 57. 2
 58. 2
 59. 2
 60. 2
 61. 2
 62. 2
 63. 2
 64. 2
 65. 2
 66. 2
 67. 2
 68. 2
 69. 2
 70. 2
 71. 2
 72. 2
 73. 2
 74. 2
 75. 2
 76. 2
 77. 2
 78. 2
 79. 2
 80. 2
 81. 2
 82. 2
 83. 2
 84. 2
 85. 2
 86. 2
 87. 2
 88. 2
 89. 2
 90. 2
 91. 2
 92. 2
 93. 2
 94. 2
 95. 2
 96. 2
 97. 2
 98. 2
 99. 2
 100. 2

meaning - Difference between 一 and 二? - Chinese Language
 2. In ordinal, decimal numbers and fractional numbers, uses "一" but not "二".
 3. When used with normal counter word, for single digit number, uses "一" but not "二".
 For

Gemini flash 2.5
 - gemini 2.0 flash
 Gemini 2.5 Flash
 agent id
 USB
 3.2 gen1
 3.2 gen2
 3.2 gen2*2
 a
 3.2gen1
 3.2gen2
 3.0
 3.1gen1
 3.2gen1
 a
 3.2gen2
 ss10
 ss+
 usb
 2
 -
 2
 Anomalous Coffee Machine
 2
 v0.1.0.1
 2.
 /gamemode creative

AirPods 4Pro 2
 AirPods 4Pro 2
 AirPods Pro 2
 AirPods Pro 2
 AirPods 4
 AirPods 4

HDMI
 HDMI 2.0
 2.1
 HDMI
 HDMI 2.0
 HDMI 2.1
 HDMI 2.1
 HDMI Licensing, LLC

2
 -
 2
 2
 1.
 **
 2
 31
 -
 2
 31
 2147483648
 x
 n
 x
 n

meaning - Difference between 一 and 二? - Chinese Language
 2. In ordinal, decimal numbers and fractional numbers, uses "一" but not "二".
 3. When used with normal counter word, for single digit number, uses "一" but not "二".
 For

Gemini flash 2.5
 - gemini 2.0 flash
 Gemini 2.5 Flash
 agent id
 USB
 3.2 gen1
 3.2 gen2
 3.2 gen2*2
 a
 3.2gen1
 3.2gen2
 3.0
 3.1gen1
 3.2gen1
 a
 3.2gen2
 ss10
 ss+
 usb
 2
 -
 2
 Anomalous Coffee Machine
 2
 v0.1.0.1
 2.
 /gamemode creative

AirPods 4Pro 2
 AirPods 4Pro 2
 AirPods Pro 2
 AirPods Pro 2
 AirPods 4
 AirPods 4

HDMI
 HDMI 2.0
 2.1
 HDMI
 HDMI 2.0
 HDMI 2.1
 HDMI 2.1
 HDMI Licensing, LLC